

Clayton County Environmental Health Tourist Accommodations Program

Clayton County Board of Health Tourist Court Regulations

Section -.16 Grounds. Amended.

- (1) The grounds of a tourist accommodation shall be graded to drain. Serviceable walks and driveways shall be provided.
- (2) Grounds shall be kept clean and free of litter. Space beneath building and trailers shall be kept clean.
- (3) All walkways, porches and hallways shall be maintained in good repair. Only articles necessary to the operation and maintenance of the establishment shall be stored on the premises.
- (4) There shall be not less than 15 feet clear space between trailers and building, nor less than 10 feet between trailers and internal driveways within the trailer park.
- (5) Each trailer space shall be distinctly marked. Trailer spaces shall abut on a well-defined all-weather driveway of not less than 20 feet of unobstructed width and such driveway shall have clear access to a public thoroughfare.
- (6) Grounded and weatherproof electrical outlets supplying at least 115 volts shall be provided at each trailer space. Power lines shall be located under ground or suspended at least 18 feet above ground. All electrical work and materials shall comply with State and local laws, ordinances or regulations. In the absence of such State and local laws, ordinances or regulations, the provisions of appropriate sections of the "Southern Standard Building Code" as published by the Southern Standards Building Codes Conference shall prevail.